



fuelprotrailers.com




YOUR DEALER:





STANDARD FEATURES

TANK CONSTRUCTION



Inside Tank



Fuel Shut Off Valve

- ✔ 7 Gauge, Double Seem Welded Tank
- ✔ Internal Fuel Surge Baffles and Cross Bracing
- ✔ 6" Deep Drop Sump with 1/2" Drain Plug
- ✔ Fuel Shut Off Valve
- ✔ At-a-Glance Fuel Gauge
- ✔ Lockable Vented Fill Cap
- ✔ Tank Pressure Relief Vent
- ✔ Custom 6" C-Channel Chassis



Adjustable Hitch and Safety Chains

DESIGN AND SAFETY FEATURES

- ✔ Manufactured to DOT Specs
- ✔ Adjustable 5 Position Vertical 2-5/16" Ball Hitch or Pintle Hitch
- ✔ Heavy Duty Safety Chains and Hooks
- ✔ 7,000 lb. Commercial Jack
- ✔ Reflective DOT Tape and (4) DOT 1993 Diesel Fuel Placards
- ✔ Roll Over Railing
- ✔ Diamond Plate Rock Guard on Fenders
- ✔ Two Coats Acrylic Enamel Paint with Industrial Tuff Coat Alkyde Primer

WHEELS, TIRES & TORSION AXLES



8 Bolt Steel Wheels Shown

- ✔ Dexter Torsion Axles with EZ Lube Hubs
- ✔ 6 or 8 Bolt Steel Wheels (depending on model)
- ✔ ST235/80R16 Radial Tires
- ✔ LT Tires Option Available



Digital Breakaway on Both Axles

ELECTRICAL SYSTEM

- ✔ GXL Outdoor Wire Ran Through Conduit for Maximum Protection from Weather Elements
- ✔ Electric Drum Breaks on Both Dexter Axles
- ✔ 7 Way RV Plug Connector
- ✔ Digital Breakaway on Both Axles
- ✔ LED Side and Rear Lighting

FUEL PUMP SYSTEM



Inside Front Box with 25 GPM, 12V DC Pump



40 GPM Electric Start Gas Engine



Base Model with 25 GPM Pump

- ✔ 12V DC Industrial Grade Pump, Rated up to 25 GPM and Self Priming
- ✔ Runs Off a Deep Cycle Battery (Standard on All Models with DC Pump)
- ✔ UPGRADE to a 40 GPM Kohler Electric Start, GAS Engine with Battery Kit (N/A on 500 DEF Base Models)



FuelPRO 20 Micron Fuel Filter



At-a-Glance Fuel Gauge

FUEL DELIVERY

- ✔ 18' of 1" Fuel Hose with Auto Trip Nozzle on Base Models
- ✔ 35' Auto Retracting Hose Reel with Auto Trip Nozzle on Models with Front Box
- ✔ At-a-Glance Fuel Gauge
- ✔ FuelPRO 20 Micron Fuel Filter



DEF Gauge and Fill Cap



DC DEF Pump

- ✔ ISO 22241 Compliant
- ✔ 70 Gallon 304 Grade Stainless Steel DEF Tank (500 Models)
- ✔ 125 Gallon 304 Grade Stainless Steel DEF Tank (750 and 990 Models)
- ✔ 30' Auto Retracting DEF Reel with SS Auto Trip Nozzle
- ✔ At-a-Glance Stainless Steel DEF Gauge
- ✔ 50 Micron Stainless Steel Filter
- ✔ DC Pump for DEF

FuelPRO OPTIONS



40 GPM KOHLER GAS POWERED ENGINE

6.5 HP gas powered, electric start Kohler Engine with diesel fuel compatible centrifugal pump. Capable of dispensing diesel fuel at a rate of up to 40 GPM. (N/A on Base Models and 500 DEF)



CUSTOM PAINT COLOR

Change standard white color to any color



FUEL HOSE REEL UPGRADE

Upgrade the standard 35' x 1" hose reel to a 50' x 1" hose reel. Hose reels are auto-retracting and include an auto-trip nozzle. (Available on 750 or 990 FB non-DEF models only)



AIR COMPRESSOR / GENERATOR COMBO

Visit fuelprotrailers.com for complete specifications (Requires Rear Box)



ALUMINUM WHEELS

Upgrade the standard steel wheels to aluminum. Includes diamond plate rock guard on front box.



AIR COMPRESSOR / GENERATOR / WELDER

ARC N Air 150 Compressor / Generator with Welder and Battery Charger



HYDRAULIC-ELECTRIC JACK

Replace the standard jack with an electric powered hydraulic version



100' AUTO RETRACTING AIR HOSE REEL

3/8" x 100' 300 PSI auto-retracting air hose reel. Requires Air Compressor / Generator Combo option. (Requires Rear Box)



6 DRAWER TOOL BOX

Custom 6 drawer tool box to fit into your middle box option. Drawer system made of roller bearings, guides and auto latching drawers. Available in powder coated white or black. (Requires Middle Box)



FUEL METERS WITH SWIVEL

Swivel mounted in line with the dispensing nozzle. Meter shows fill and cumulative totals in gallons and liters



SPARE TIRE

Spare 16" 10-ply tire mounted to the top of the trailer and enclosed in a protective black cover. Trailers with middle box option can be mounted inside box.



GROUNDING CABLE

Auto-retracting grounding cable to eliminate electric shock 35' or 75' length



WORK LIGHTS

Includes lights in the box and 2 magnetic rechargeable cordless lights.



SAFETY KIT

Fire extinguisher and spill clean up kit (oil absorbing rags, spill containment rope, rubber gloves and disposable bag) mounted in the front toolbox




FUELPRO 10 MICRON FUEL FILTER

Upgrade standard FuelPRO 20 Micron Fuel Filter to FuelPRO 10 Micron Fuel Filter



FRONT, MIDDLE OR REAR BOX

Powder Coat Finish with lockable chrome latches. Gas door struts. Front and middle box has left and right access doors and storage shelf on 750/990 Models. Rear box has hatch style door



SOLAR CHARGING PANEL

30W photovoltaic solar panel to charge the battery with a truck connection. Controller included.





500 GALLON MODELS

500 BM



	500 BM	500 FB	500 FB-DEF
Tank Size		- 500 Gallon -	
Tank Thickness		- 7 Gauge -	
DOT Compliant		- Yes -	
Torsion Axles		- Dual 3,500 lb. -	
Hubs		- 6 Lug -	
Electric Brakes		- Equipped on Both Torsion Axles -	
Tires		16" D Range	
Fuel Baffles		2 Internal Fuel Baffles	
Frame		6"	
L/W/H	11'6" / 5'10" / 4'8"	11'6" / 5'10" / 4'8"	12'8" / 5'10" / 4'8"
Empty Weight	2,000 lbs.	2,200 lbs.	2,400 lbs.
GVWR		- 7,000 lbs. -	
Front Box	N/A	Yes	Yes
Rear Box	N/A	N/A	N/A
DEF Tank	N/A	N/A	70 Gallon SS





500 GALLON MODELS

500 MODELS

Shown with Aluminum Wheel Upgrade

500 FB



FUEL DELIVERY SYSTEM FEATURES

CHOOSE:

- 25 GPM, 12 Volt DC Industrial Grade Pump
- 40 GPM Electric Start Gas Engine
- 35' Auto Retracting 1" Hose Reel
- 18' of 1" Fuel Hose Auto Trip on Base Models
- Auto Trip Nozzle
- Deep Cycle Battery
- FuelPRO 20 Micron Fuel Filter
- Lockable Vented Fuel Cap
- Tank Pressure Relief Vent
- At-a-Glance Fuel Gauge



Inside Box with 40 GPM Electric Start Gas Engine




Inside Box with 25 GPM 12V Electric Pump

500 FB-DEF

DEF DELIVERY SYSTEM FEATURES

- ISO 22241 Compliant
- 70 Gallon 304 Grade Stainless Steel DEF Tank
- 30' Auto Retracting DEF Reel
- Auto Trip Nozzle
- 50 Micron Stainless Steel Filter
- At-a-Glance Stainless Steel DEF Gauge
- DC Pump for DEF



Inside 500FB-DEF Box with DC Pump



750 GALLON MODELS

FUEL DELIVERY SYSTEM FEATURES

CHOOSE:

- 25 GPM, 12 Volt DC Industrial Grade Pump
- 40 GPM Electric Start Gas Engine (N/A on Base Models)

CHOOSE:

- 35' Auto Retracting 1" Hose Reel
- 50' Auto Retracting 1" Hose Reel
- 18' of 1" Hose on Base Models
- Auto Trip Nozzle
- Deep Cycle Battery
- FuelPRO 20 Micron Fuel Filter
- Lockable Vented Fuel Cap
- Tank Pressure Relief Vent
- At-a-Glance Fuel Gauge

750 BM



Shown with Aluminum Wheel Upgrade

750 FB



*Shown with Hydraulic/
Electric Jack
and Aluminum Wheels*



*Inside Box with 40 GPM
Electric Start Gas Engine*

750 FRB



Shown with Custom Color and Aluminum Wheels

750 FB-DEF





750 GALLON MODELS

750 MODELS



750 FB-DEF

Shown with Aluminum Wheels

DEF DELIVERY SYSTEM FEATURES

- ISO 22241 Compliant
- 125 Gallon 304 Grade Stainless Steel DEF Tank
- 30' Auto Retracting DEF Reel
- Auto Trip Nozzle
- 50 Micron Stainless Steel Filter
- At-a-Glance Stainless Steel DEF Gauge
- DC Pump for DEF



750 FRB-DEF

Shown with Hydraulic Jack



750 FMR-DEF

Shown with Aluminum Wheels

AVAILABLE OPTIONS ON THIS MODEL

- Air Compressor / Generator
- 100' Auto Retracting Air Hose Reel
- Custom 6 Drawer Tool Box



Air Compressor / Generator with 100' Air Hose Reel



Black 6-Drawer Tool Box

	750 BM	750 FB	750 FRB	750 FMR	750 FB-DEF	750 FRB-DEF	750 FMR-DEF	
Tank Size	– 750 Gallon –							
Tank Thickness	– 7 Gauge –							
DOT Compliant	– Yes –							
Torsion Axles	– Dual 5,000 lbs –			– Dual 6,000 lbs –				Dual 7,000 lbs
Hubs	– 6 Lug –			– 8 Lug –				
Electric Brakes	– Equipped on both Torsion Axles –			– Equipped on both Torsion Axles –				
Tires	– 16" D Range –			– 16" E Range –				
Fuel Baffles	– 2 Internal Fuel Baffles –			– 2 Internal Fuel Baffles –				
Frame	– 6" –			– 6" –				
L/W/H	11'10" / 7' / 5'	11'10" / 7' / 5'	13'5" / 7' / 5'	14'3" / 7' / 5'	15'10" / 7' / 5'	16'9" / 7' / 5'	18'4" / 7' / 5'	
Empty Weight	2,720 lbs.	2,920 lbs.	3,120 lbs.	3,420 lbs.	3,620 lbs.	3,880 lbs.	4,080 lbs.	
GVWR	– 10,000 lbs. –			– 12,000 lbs. –				14,000 lbs.
Front Box	N/A	Yes	Yes	Yes	Yes	Yes	Yes	
Middle Box	N/A	N/A	N/A	N/A	N/A	Yes	Yes	
Rear Box	N/A	N/A	Yes	Yes	Yes	Yes	Yes	
DEF Tank	N/A	N/A	N/A	N/A	125 Gallon SS	125 Gallon SS	125 Gallon SS	

990 BM



FUEL DELIVERY SYSTEM FEATURES

CHOOSE:

- 25 GPM, 12 Volt DC Industrial Grade Pump
- 40 GPM Electric Start Gas Engine (N/A on Base Models)

CHOOSE:

- 35' Auto Retracting 1" Hose Reel
- 50' Auto Retracting 1" Hose Reel
- 18' of 1" Hose on Base Models
- Auto Trip Nozzle
- Deep Cycle Battery
- FuelPRO 20 Micron Fuel Filter
- Lockable Vented Fuel Cap
- Tank Pressure Relief Vent
- At-a-Glance Fuel Gauge

990 FB



Shown with Aluminum Wheels

Inside Box with 40 GPM Electric Start Gas Engine

990 FRB



Custom Paint Color

Air Compressor / Generator with 100' Air Hose Reel



Custom Paint Color and DEF

AVAILABLE OPTIONS ON THIS MODEL

- Air Compressor / Generator
- 100' Auto Retracting Air Hose Reel
- Custom 6 Drawer Tool Box



990 GALLON MODELS

990 MODELS



990 FB-DEF

DEF DELIVERY SYSTEM FEATURES

- ISO 22241 Compliant
- 125 Gallon 304 Grade Stainless Steel DEF Tank
- 30' Auto Retracting DEF Reel
- Auto Trip Nozzle
- 50 Micron Stainless Steel Filter
- At-a-Glance Stainless Steel DEF Gauge
- DC Pump for DEF



990 FMR-DEF

Shown with Aluminum Wheels



990 FRB-DEF

Shown with Aluminum Wheels and Custom Paint Color



Rear Box

AVAILABLE OPTIONS ON THIS MODEL

- Air Compressor / Generator
- 100' Auto Retracting Air Hose Reel
- Custom 6 Drawer Tool Box

	990 BM	990 FB	990 FRB	990 FRB-DEF	990 FB-DEF	990 FMR-DEF
Tank Size	- 990 Gallon -					
Tank Thickness	- 7 Gauge -					
DOT Compliant	- Yes -					
Torsion Axles	- Dual 6,000 lbs -		- Dual 7,000 lbs -		Tri 6,000 lbs	
Hubs	- 8 Lug -					
Electric Brakes	- Equipped on both Torsion Axles -					
Tires	- 16" E Range -			- 16" E Range -		
Fuel Baffles	- 5 Internal Fuel Baffles -					
Frame	- 6" -					
L/W/H	13'11" / 7' / 5'	13'11" / 7' / 5'	15'6" / 7' / 5'	17'11" / 7' / 5'	18'10" / 7' / 5'	20'5" / 7' / 5'
Empty Weight	3,525 lbs.	3,825 lbs.	4,025 lbs.	4,300 lbs.	4,325 lbs.	4,625 lbs.
GVWR	- 12,000 lbs. -		- 14,000 lbs. -		18,000 lbs.	
Front Box	N/A	Yes	Yes	Yes	Yes	Yes
Middle Box	N/A	N/A	N/A	N/A	Yes	Yes
Rear Box	N/A	N/A	Yes	Yes	Yes	Yes
DEF Tank	N/A	N/A	N/A	125 Gallon SS	125 Gallon SS	125 Gallon SS



CUSTOM TRAILERS

PRO-EX SERIES



AVAILABLE OPTIONS ON THIS MODEL

- 700 Gallon Diesel Fuel
- 200 Gallon Hydraulic Oil
- 100 Gallon Engine Oil
- 100 Gallon Reclaim Oil
- 50 Gallon Water
- 50 Gallon Anti-Freeze
- 50 Gallon 30W Oil
- 50 Gallon Gear Oil
- 120# Grease Tub
- ARC N Air 150 Compressor / Generator with Welder and Battery Charger



Fuel PRO trailers.com



SKID MOUNT UNIT



SERVICE TRAILERS / MULTI TANK TRAILER / SKID MOUNT / MULTI TANK UNITS

**AVAILABLE IN MULTI TANK OR
SINGLE TANK CONFIGURATIONS**

**CUSTOMIZED TO MEET
YOUR NEEDS**



MULTI-TANK MODELS



475-700-950 GALLON MODELS

AVAILABLE WITH-OR-WITHOUT DEF

*Legally transport Diesel Fuel
without HazMat endorsement!*



(Shown with Rear Box Option)



MODEL 475 MT >> (4) 119 GALLON TANKS

MODEL 700 MT >> (6) 119 GALLON TANKS

MODEL 950 MT >> (8) 119 GALLON TANKS

419-294-0400

Visit Us At:

 **Fuel PRO** *trailers.com*